

AX105566 Connectivity Accessories - Rapid Termination Tool Assy



For more Information
please call

1-800-Belden1

General Description:

Rapid Termination Tool Assembly for KeyConnect Jacks

Usage (Overall)

Suitable Applications: To terminate CAT5E KeyConnect Jack, CAT6+ KeyConnect Jack

Physical Characteristics (Connectivity)

Dimensions

Dimensions:

Height (in.)	Width (in.)	Length (in.)
5.000	1.300	6.750

Materials

Materials:

Description	Material	Color
Frame	Aluminum	
Handle grip	Plastic	Black
Blade Block	Plastic	Black
Blades & Knives	Steel	
Press Head	Plastic	Black

Color

Color: Black

Weight

Weight: 0.250 lbs.

Packaging

Packaging: Individually packaged in a plastic clamshell, shipped in cardboard box (50/Box)

Mechanical Characteristics (Connectivity)

Storage Temperature Range: -40°C To +60°C

Installation Temperature Range: -10°C To +50°C

Applicable Specifications and Agency Compliance (Overall)

Applicable Standards & Environmental Programs

EU Directive 2011/65/EU (ROHS II): Yes

Suitability

Suitability - Indoor: Yes - Indoor

Notes (Overall)

Product Family

Part Number List:

Accessory	Part Number
HeadSet	AX105568
Pouch	AX105569

Physical Properties (Overall)

Put Ups and Colors:

Item #	Putup	Ship Weight	Color	Notes	Item Desc
AX105566	1 EA	0.650 LB			RAPID TERM. TOOL ASSEMBLY

AX105566 Connectivity Accessories - Rapid Termination Tool Assy

Revision Number: 0 Revision Date: 03-20-2014

© 2017 Belden, Inc
All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability. Belden provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein. All sales of Belden products are subject to Belden's standard terms and conditions of sale.